## Uniden®

## SIVIART in-car DASH CAM

TECHNOLOGY



**UNIDEN.COM.AU** 

**CAPTURE THE FACTS, NOT AN OPINION!** 



## Uniden igo cam KEY RANGE FEATURES















**DUAL CAMERAS** 



**SPEED CAMERA** WARNINGS

**~**))を



**HEADLIGHT LOW** 



**ADVANCED DRIVER ASSISTANCE SYSTEM** 

WARNING^

**LUX WARNING** 

**GEOTAG VIDEOS** 

Reverse/Rear Camera to record all the action on the road, behind & in front at the optimum clarity.†

Alerts you while driving speed cameras and red light cameras.

ADAS, including

A visual and audible alarm will alert you when your vehicle is drifting over a lane.

Sensors detect low external lighting conditions, alerting you to turn on the headlights.

GPS antenna inside the mount enables video geotagging, recording direction travelling, location and speed.

igo cam3Dash Cam Black Box igo cam 4 Dash Cam Black Box igo cam C Dash Cam Black Box







Camera Resolution 1080p

Camera Resolution 1080p

Camera Resolution 1080p

Dual Camera/2 Channel Recording

2" LCD Colour Screen



2" LCD Colour Screen

2.7" LCD Colour Screen

3 Axis G-Sensor



3 Axis G-Sensor

æ

3 Axis G-Sensor



Parking Mode\*



Parking Mode\*



Parking Mode\*



Wide View 120°



Super Wide View 140°



Ultra Wide View 150°



GPS Geotagging



GPS Geotagging



Large Speedo Display



Large Speedo Display



## CONVENIENT **FEATURES**

- Plug & Play quick & easy to set up

- Photo Mode

- Records Footage onto Micro SD Card (Not Included) Maximum capacity: 128GB for iGO CAM 60/70R, 64GB for iGO CAM 80 & 32GB for iGO CAM 50R/40/30)\*
- 2 Sticker Mounts Rotating Design for Optimal Visibility & Stability

















For easy, quick speed identification. Minimises driver distraction.



G-Force impact in 3 dimensions.

**PARKING MODE** 

when your car is parked and the engine is switched off – the inbuilt sensor detects sudden vibration triggering footage recording.\*

Shows greater angle to capture more of the action around the vehicle.

**UP TO ULTRA WIDE** 

**ANGLE VIEW 150°** 







Uniden









Dual Camera/2 Channel Recording

2 Channel Recording Capability

Camera Resolution 1296p

2k

Video Resolution 1524p

2.7k

Video Resolution 2160p

2.4" LCD Colour Screen

4k

2.7" LCD Colour Screen



2.7" LCD Colour Screen

\*

3 Axis G-Sensor



3 Axis G-Sensor Parking Mode\* X P

3 Axis G-Sensor

Parking Mode\*

**HDMI** Output

P

Parking Mode\*



Ultra Wide View 150°

 $\bigcirc$ 

Ultra Wide View 150°

 $\bigcirc$ 

Ultra Wide View 150° GPS Geotagging



**GPS** Geotagging

0

GPS Geotagging

0

Large Speedo Display



Large Speedo Display

(00)

Large Speedo Display



Speed/Red Light Camera Warnings



Speed/Red Light Camera Warnings



Speed/Red Light Camera Warnings



Lane Departure Warning<sup>^</sup>

Low Headlight Warning



Lane Departure Warning<sup>^</sup>

Low Headlight Warning



Wide Dynamic Range Images (WDR)



Advanced Driver Assist System#



Advanced Driver Assist System#



Footage Lock Protection



Smartphone App (Uniden iGOr)



Smartphone App (Uniden iGO)









Direct footage transfer from the iGO Cam 70<sup>R</sup> & 80 to your smartphone via the

**FREE APP** 





iGO CAM 70F
Dash Cam Black Box
+ Rear/Reverse Camera

UNIDEN iGOr



IGO CAM **SU**Dash Cam Black Box

**UNIDEN iGO** 









\*When the car and the unit has been powered off, this mode turns on the unit, if it detects vibration. Note that the Unit must have sufficient battery power remaining in order to record and the G Sensor must also be turned on. ^The Lane Departure feature requires correct calibration to capture road markings. Lane Assist is ideal for driving on main highways with good road markings. Lane Departure will be limited in poor visibility or where there are inconsistent or faded road markings. #For this to work ADAS Detect option must be turned on and it also requires correct calibration. This feature is designed and best suited to open road driving such as a motorway. 128GB (iGO CAM 60/70R), 64GB (iGO CAM 80), 32GB (iGO CAM 50R/40/30) is the maximum Micro SD Capacity, Class 10 minimum speed for recording. Recommended to use MLC/SLC Micro SD Card. † Image on packaging is for illustration purposes only. Captured footage is dependent on the position and location of the vehicle dash cam & rear/reverse camera. iGO CAM 70R the single camera recording utilises the front dash cam camera only. In this mode it will record at 2.7k (1524p) resolution. If dual camera recording mode is selected then both front dash cam camera & rear/reverse camera will record at Full HD (1080p) resolution. Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google Inc.